

### **LISTING OF THE CLAIMS**

In this paper, the claims have not been amended. However, for the convenience of the Applicants and the Examiner, a complete listing of the claims and their current status is provided below.

#### **In the claims:**

1. (Previously Presented) A method of treating a subject for a condition caused by an autonomic nervous system abnormality comprising modulating at least a portion of said subject's autonomic nervous system by administering an effective amount of at least one beta-blocker to said subject to treat said subject for at least one of: neurodegenerative conditions; neuroinflammatory conditions; orthopedic inflammatory conditions; lymphoproliferative conditions; autoimmune conditions; inflammatory conditions; infectious diseases, pulmonary conditions; transplant-related conditions, gastrointestinal conditions; endocrine conditions; genitourinary conditions selected from the group of renal failure, hyperreninemia, hepatorenal syndrome and pulmonary renal syndrome; aging associated conditions; neurologic conditions; Th-2 dominant conditions; conditions that cause hypoxia; conditions that cause hypercarbia; conditions that cause hypercapnia; conditions that cause acidosis; conditions that cause acidemia, pediatric-related conditions; OB-GYN conditions, sudden death syndromes, fibrosis; post-operative recovery conditions; post-procedural recovery conditions; chronic pain; disorders of thermoregulation, cyclic vomiting syndrome and trauma, wherein said modulating results in substantially equal parasympathetic and sympathetic functions in at least a portion of said autonomic nervous system.
2. (Canceled)
3. (Previously Presented) The method of Claim 1, wherein said abnormality is characterized by a sympathetic bias.

4. (Previously Presented) The method of Claim 1, wherein said abnormality is characterized by a parasympathetic bias.

5-10. (Canceled)

11. (Original) The method of Claim 1, wherein said abnormality is characterized by an abnormally high parasympathetic activity.

12. (Original) The method of Claim 11, wherein said abnormality is characterized by an abnormally low sympathetic activity.

13. (Original) The method of Claim 11, wherein said abnormality is characterized by normal sympathetic activity.

14. (Original) The method of Claim 11, wherein said abnormality is characterized by an abnormally high sympathetic activity.

15. (Original) The method of Claim 11, further comprising decreasing said abnormally high parasympathetic activity.

16. (Original) The method of Claim 1, wherein said abnormality comprises an abnormally low parasympathetic activity.

17. (Original) The method of Claim 16, wherein said abnormality comprises an abnormally low sympathetic activity.

18. (Original) The method of Claim 16, wherein said abnormality comprises normal sympathetic activity.

19. (Original) The method of Claim 16, wherein said abnormality comprises an abnormally high sympathetic activity.

20. (Previously Presented) The method of Claim 4, further comprising increasing said parasympathetic activity.

21. (Original) The method of Claim 1, wherein said at least one beta-blocker is chosen from atenolol, betaxolol, bisoprolol, carvedilol, esmolol, labetalol, metoprolol, nadolol, pindolol, propranolol, sotalol, timolol, acebutalol, oxprenolol, carvedilol, and entbutolol.

22. (Original) The method of Claim 1, wherein said method comprises increasing the parasympathetic activity/sympathetic activity ratio in at least a portion of said subject's autonomic nervous system.

23. (Original) The method of Claim 1, further comprising administering an effective amount of at least one non-beta-blocker agent.

24. (Original) The method of Claim 23, wherein said at least one non-beta-blocker agent is chosen from aldosterone antagonists; angiotensin II receptor blockades; angiotensin converting enzyme inhibitors; statins; triglycerides lowering drugs; niacin; anti-diabetes agents; immunomodulators; nicotine; sympathomimetics; cholinergics; acetylcholinesterase inhibitors; magnesium and magnesium sulfates, calcium channel blockers; muscarinics; sodium channel blockers; glucocorticoid receptor blockers; peripheral adrenergic inhibitors; blood vessel dilators; central agonists; combined alpha and beta-blockers; alpha blockers; combination diuretics; potassium sparing diuretics; nitrates; cyclic nucleotide monophosphodiesterase inhibitors; alcohols; catecholamines inhibitors; analgesics; neurotoxins; vasopressin inhibitors; oxytocin inhibitors; alcohol; relaxin hormone; renin inhibitors; estrogen; estrogen analogues; estrogen metabolites; progesterone inhibitors; testosterone inhibitors; gonadotropin-releasing hormone analogues; gonadotropin-releasing hormone inhibitors; vesicular monoamine transport inhibitors; dipeptidyl peptidase IV inhibitors; antihistamines and melatonin.

25. (Original) The method of Claim 23, wherein said at least one beta-blocker and at least one non-beta-blocker are concomitantly administered in unit dosage form.
26. (Original) The method of Claim 1, further comprising stimulating at least a portion of said subject's autonomic nervous system.
27. (Original) The method of Claim 26, wherein said stimulating comprises contacting at least a portion of said subject's autonomic nervous system with at least one electrode and applying electrical energy to at least a portion of said subject's autonomic nervous system.
28. (Original) The method of claim 1 wherein said at least one beta-blocker is administered orally at least once a day to said subject.
29. (Withdrawn) The method of Claim 1, wherein said condition is a neurodegenerative condition chosen from the group of: Alzheimer's disease, Pick's disease, dementia, delirium and amyotrophic lateral sclerosis.
30. (Withdrawn) The method of Claim 1, wherein said condition is a neuroinflammatory condition chosen from the group of: viral meningitis, viral encephalitis, fungal meningitis, fungal encephalitis, multiple sclerosis, charcot joint and myasthenia gravis.
31. (Withdrawn) The method of Claim 1, wherein said condition is an orthopedic inflammatory condition chosen from the group of: osteoarthritis, inflammatory arthritis, regional idiopathic osteoporosis, reflex sympathetic dystrophy, Paget's disease and osteoporosis.

32. (Withdrawn) The method of Claim 1, wherein said condition is a lymphoproliferative condition chosen from the group of: lymphoma, lymphoproliferative disease, Hodgkin's disease and inflammatory pseudomotor of the liver.

33. (Withdrawn) The method of Claim 1, wherein said condition is an autoimmune condition chosen from the group of: Graves disease, hashimoto's, takayasu's disease, kawasaki's diseases, arteritis, scleroderma, CREST syndrome, allergies, dermatitis, Henoch-schlonlein purpura, goodpasture syndrome, autoimmune thyroiditis, myasthenia gravis, Reiter's disease, raynaud's, and lupus.

34. (Withdrawn) The method of Claim 1, wherein said condition is an inflammatory condition chosen from the group of: acute respiratory distress syndrome, multiple sclerosis, juvenile rheumatoid arthritis, juvenile chronic arthritis and rheumatoid arthritis.

35. (Withdrawn) The method of Claim 1, wherein said condition is an infectious disease chosen from the group: sepsis, viral and fungal infections, diseases of wound healing, wound healing, tuberculosis, infection, acquired immune deficiency syndrome and human immunodeficiency virus.

36. (Withdrawn) The method of Claim 1, wherein said condition is a pulmonary condition chosen from the group of: tachypnea, fibrotic lung diseases such as cystic fibrosis and the like, interstitial lung disease, desquamative interstitial pneumonitis, non-specific interstitial pneumonitis, lymphocytic interstitial pneumonitis, usual interstitial pneumonitis, idiopathic pulmonary fibrosis, pulmonary edema, aspiration, asphyxiation, pneumothorax, right-to-left shunts, left-to-right shunts and respiratory failure.

37. (Withdrawn) The method of Claim 1, wherein said condition is a transplant-related condition chosen from the group of: transplant rejection, transplant-related tachycardia, transplant related renal failure, transplant related bowel dysmotility and transplant-related hyperreninemia.

38. (Withdrawn) The method of Claim 1, wherein said condition is a gastrointestinal condition chosen from the group of: hepatitis, xerostomia, bowel mobility, peptic ulcer disease, constipation, ileus, irritable bowel syndrome, post-operative bowel dysmotility, inflammatory bowel disease and typhilitis.
39. (Withdrawn) The method of Claim 1, wherein said condition is an endocrine condition chosen from the group of: hypothyroidism, hyperglycemia, diabetes, obesity, syndrome X, insulin resistance and polycystic ovarian syndrome.
40. (Withdrawn) The method of Claim 1, wherein said condition is a skin condition chosen from the group of: wrinkles, cutaneous vasculitis and psoriasis.
41. (Original) The method of Claim 1, wherein said condition is an aging associated condition chosen from the group of: shy dragers, multi-system atrophy, age related inflammation conditions, and cancer.
42. (Withdrawn) The method of Claim 1, wherein said condition is a neurologic condition chosen from the group of: epilepsy, seizures, stroke, insomnia, cerebral vascular accident, transient ischemic attacks, stress, bipolar disorder, concussions, post-concussive syndrome, cerebral vascular vasospasm, depression, schizophrenia, central sleep apnea and obstructive sleep apnea.
43. (Withdrawn) The method of Claim 1, wherein said condition is aTh-2 dominant condition chosen from the group of: typhilitis, osteoporosis, lymphoma, myasthenia gravis and lupus.
44. (Withdrawn) The method of Claim 1, wherein said condition is a condition that causes at least one of: hypoxia, hypercarbia, hypercapnia, acidosis and acidemia.
45. (Withdrawn) The method of Claim 44, wherein said conditions is chosen from the group of: acute pulmonary embolism, sudden infant death syndrome, sudden adult

death syndrome, chronic pulmonary embolism, pleural effusion, cardiogenic pulmonary edema, non-cardiogenic pulmonary edema, acute respiratory distress syndrome, neurogenic edema, hypercapnia, acidemia, renal tubular acidosis and lung diseases that cause acidosis.

46. (Withdrawn) The method of Claim 1, wherein said condition is a pediatric-related condition chosen from the group of: respiratory distress syndrome, sudden infant death syndrome, hirschsprung disease, bronchopulmonary dysplasia, congenital megacolon and aganglionosis.

47. (Withdrawn) The method of Claim 1, wherein said condition is an OB-GYN condition chosen from the group of: amniotic fluid embolism, pregnancy-related arrhythmias, fetal stress syndrome, fetal hypoxia, menopausal mood disorders, premenstrual mood disorders, and amniotic fluid embolism.

48. (Withdrawn) The method of Claim 1, wherein said condition is a sudden death syndrome chosen from the group of: sudden infant death syndrome and sudden adult death syndrome.

49. (Withdrawn) The method of Claim 1, wherein said condition is fibrosis.

50. (Withdrawn) The method of Claim 1, wherein said condition is a post-operative recovery condition chosen from the group of: post-operative pain, post operative ileus, post-operative fever and post-operative nausea.

51. (Withdrawn) The method of Claim 1, wherein said condition is a post-procedural recovery condition chosen from the group of: post- procedural pain, post procedural ileus, post- procedural fever and post- procedural nausea.

52. (Withdrawn) The method of Claim 1, wherein said condition is chronic pain.

53. (Withdrawn) The method of Claim 1, wherein said condition is trauma.
54. (Withdrawn) The method of Claim 1, wherein said condition is a disorder of thermoregulation.
55. (Withdrawn) The method of Claim 1, wherein said condition is cyclic vomiting syndrome.
56. (Withdrawn) An algorithm for administering said at least one beta-blocker to said subject in accordance with method of Claim 1 recorded on a computer-readable medium.
57. (Withdrawn) A system comprising:
- (a) an algorithm for administering said at least one beta-blocker to said subject in accordance with method of Claim 1 recorded on a computer-readable medium
  - (b) a pharmaceutically effective amount of at least one beta-blocker, and
  - (c) a drug delivery device.
58. (Withdrawn) The system of Claim 57, wherein said at least one beta-blocker is chosen from atenolol, betaxolol, bisoprolol, carvedilol, esmolol, labetalol, metoprolol, nadolol, pindolol, propranolol, sotalol, timolol, acebutalol, oxprenolol, carvedilol, and entbutolol.
59. (Withdrawn) The system of Claim 57, wherein said drug delivery device is an implantable drug delivery device.
60. (Withdrawn) The system of Claim 57, further comprising a pharmaceutically acceptable amount of at least one non-beta-blocker agent.
61. (Withdrawn) A kit comprising:
- (a) a pharmaceutically effective amount of at least one beta-blocker; and



(b) instructions for practicing the method of Claim 1.

62. (Previously Presented) The method of Claim 1, wherein said treating is for a period of at least 24 hours.

63. (Previously Presented) The method of Claim 1, wherein said method further comprises increasing parasympathetic activity.